

# Genetic type particle methods: An introduction with applications

**P. Del Moral**

Centre INRIA Bordeaux-Sud Ouest

**Post-graduate course on "Advanced Optimisation Techniques",  
CSC Doctorate School. Luxembourg University**

*Lectures 1 & 2*

- ↪ Feynman-Kac formulae Genealogical and interacting particle systems, Springer (2004), [+ Ref.](#)
- ↪ ↪ DM, Doucet, Jasra. SMC Samplers. *JRSS B* (2006).
- ↪ DM, N. G. Hadjiconstantinou. An introduction to probabilistic methods with applications [+ Ref.](#)
- ↪ DM, A. Doucet. Particle Methods: An introduction with applications. *HAL-INRIA RR-6991(09)*, 2008 MLSS, Springer (2011?).

## http - references & Web links resources

- [Master lecture notes](#) on Stochastic engineering with scilab programs (in french)
- [A pedagogical book](#) on simulation and stochastic algorithms (in french)
- A series of selected [research articles](#) on Feynman-Kac models and particle algorithms : convergence, performance analysis, fluctuations, large deviations, propagations of chaos properties, exponential estimates. (see also [more recent articles](#))
- Some web-links to Feynman-Kac and Interacting particle [application model areas](#) : particle filtering, robotics, image processing, audio signal, tracking, GPS, fluid mechanics, financial math, biology, chemistry, rare event, optics, hybrid systems,...

## 1 Introduction

- Particle models in physics, biology and engineering
- Branching particle models & Feynman-Kac models
- Motivating application areas

## 2 Some heuristic like particle algorithms

## 3 Positive matrices and particle recipes

## 4 Ancestral and Genealogical tree models

## 5 Related nonlinear Markov chains

## Particle Interpretation models

- **Mathematical physics and molecular chemistry** ( $\geq 1950's$ ) : Particle/microscopic interpretation models, particle absorption, macro-molecular chains, quantum and diffusion Monte Carlo.
- **Environmental studies and biology** ( $\geq 1950's$ ): Population, gene evolutions, species genealogies, branching/birth and death models.
- **Evolutionary mathematics and engineering sciences** ( $\geq 1970's$ ): Adaptive stochastic search method, evolutionary learning models, interacting stochastic grids approximations, genetic algorithms.
- **Applied Probability and Bayesian Statistics** ( $\geq 1990's$ ): Approximating simulation technique (recursive acceptance-rejection model), [Sequential Monte Carlo](#), [http-ref : interacting Monte Carlo Markov chains \(Andrieu, Bercu, DM, Doucet, Jasra\)](#).
- **Pure mathematics** ( $\geq 1960's$  for fluid models,  $\geq 1990's$  for discrete time and interacting jump models): Stochastic linearization tech., mean field particle interpretations of nonlinear PDE and measure valued equations.

- **Central idea of particle/SMC in stochastic engineering :**

$$\left\{ \begin{array}{l} \text{Physical and Biological intuitions} \\ [learning, adaptation, optimization, \dots] \end{array} \right\} \in \text{Engineering problems}$$

Sequential Monte Carlo	Sampling	Resampling
Particle Filters	Prediction	Updating
Genetic Algorithms	Mutation	Selection
Evolutionary Population	Exploration	Branching
Diffusion Monte Carlo	Free evolutions	Absorption
Quantum Monte Carlo	Walkers motions	Reconfiguration
Sampling Algorithms	Transition proposals	Acceptance-rejection

*More botanical names* : spawning, cloning, pruning, enrichment, go with the winner, replenish, and many others.

- **Pure mathematical point of view :**  
= Mean field particle interpretation of Feynman-Kac measures

## Some application areas of Feynman-Kac formulae

- **Physics :**

- Feynman-Kac-Schroedinger semigroups  $\in$  nonlinear integro-differential equations ( $\sim$  generalized Boltzmann models).
- Spectral analysis of Schrödinger operators and large matrices with nonnegative entries.
- Particle evolutions in disordered/absorbing media.
- Multiplicative Dirichlet problems with boundary conditions.
- Microscopic and macroscopic interacting particle interpretations.

- **Chemistry and Biology:**

- Self-avoiding walks, macromolecular simulation, directed polymers.
- Spatial branching and evolutionary population models.
- Coalescent and Genealogical tree based evolutions.

## Some application areas of Feynman-Kac formulae

- **Rare events analysis:**

- Multisplitting and branching particle models (Restart type methods).
- Importance sampling and twisted probability measures.
- Genealogical tree based simulations (default tree sampling models).

- **Advanced Signal processing:**

- Optimal filtering, prediction, smoothing.
- Open loop optimal control, optimal regulation.
- Interacting Kalman-Bucy filters.
- Stochastic and adaptative grid approximation-models

- **Statistics/Probability:**

- Restricted Markov chains (w.r.t terminal values, visiting regions, constraints simulation problems,...)
- Analysis of Boltzmann-Gibbs type distributions (simulation, partition functions, localization models...).
- Random search evolutionary algorithms, interacting Metropolis/simulated annealing algo, combinatorial counting.

- 1 Introduction
- 2 Some heuristic like particle algorithms
  - Nonlinear filtering and particle filters
  - Rare event particle algorithms
  - Particle sampling of Boltzmann-Gibbs measures
- 3 Positive matrices and particle recipes
- 4 Ancestral and Genealogical tree models
- 5 Related nonlinear Markov chains



## The filtering problem $\subset$ Bayesian statistics

- $X_t :=$  **Signal=Stochastic process**

### Engineering/physics/biology/economics :

- Non cooperative targets (defense : missile, boat, plane,...).
- Physics (Fluids : twisters, cyclones, ocean models, pressure/temperature/diffusion coefficients,...).
- Finance (assets, portfolios, volatilities, default indexes,...).
- Signal (speech, codes, informations transmissions, waves,...).

### Dynamics and sources of randomness :

- Physical evolution equations (example :  $\sum_i u_i \vec{F}_i = \vec{A}$ )
- Perturbations and random sources:
  - Model uncertainties  $\oplus$  External perturbations.
  - **Unknown controls and related model parameters.**

$\rightsquigarrow$  **A Priori Law/Knowledge** (unknown quantities=random samples.)

## The filtering model

- $Y_t$  = Partial and Noisy observations of the signal  $X_t$  :

### Engineering/physics/biology/economics :

- Engineering : Radar, Sonar, GPS, ...
- Physics (sensors : pressure/temperature/...).
- Finance (assets, portfolios,...).
- Statistics (real data: medicine, pharmacology, politics, economics,...).

### Dynamics and sources of randomness :

- Partial observations : complex mixtures, partial coordinates.
- Perturbations et random sources :
  - Noisy sensor measures (thermal noise).
  - External/environmental perturbations.
  - Model uncertainties.

## Objectives

Compute/Sample/Estimate **inductively** the flow of measures

$$t \in \mathbb{R}_+ \quad \text{or} \quad t = n \in \mathbb{N} \longrightarrow \eta_t = \text{Law}(X_t \mid Y_0, \dots, Y_t)$$

## Note

- **Filtering the trajectories** :  $X_t = (X'_0, \dots, X'_t) \in E_t$

⇕ **[State space enlargement]**

$$\eta_t = \text{Law}((X'_0, \dots, X'_t) \mid (Y_0, \dots, Y_t)) = \text{Law}(X_t \mid Y_0, \dots, Y_t)$$

## Equivalent terminologies :

- Data Assimilation (forecasting, fluids/ocean models).
- Hidden Markov Chains Models (HMM).
- A Posteriori Law = Law( $X \mid Y$ ) (A Priori = Law( $X$ )).

## Heuristic particle filters

Sample a population of  $N$  "individuals" / "particles" s.t. at **any time**

$$(\hat{\xi}_t^1, \dots, \hat{\xi}_t^N) \in E_t^N \rightsquigarrow \lim_{N \rightarrow \infty} \frac{1}{N} \sum_{i=1}^N \delta_{\hat{\xi}_t^i} = \text{Law}(X_t \mid (Y_0, \dots, Y_t))$$

### Heuristic learning/filtering scheme :

- Prediction/Exploration  $\rightsquigarrow$  sampling  $N$  local transitions of the signal.
- Updating/Correction  $\rightsquigarrow$  birth and death process = branching particle algo (fixed size  $N$ ).
  - Kill/stop individuals/proposal with **poor likelihood value**.
  - Multiply/increase individuals with **high likelihood value**.

$\rightsquigarrow$  **Path space models** :  $X_t = (X'_0, \dots, X'_t)$

$\Rightarrow$  **Genealogical tree based learning algorithm** :

$$\lim_{N \rightarrow \infty} \frac{1}{N} \sum_{i=1}^N \delta_{i\text{-th ancestral line}(t)} = \text{Law}((X'_0, \dots, X'_t) \mid (Y_0, \dots, Y_t))$$

## Some typical rare events

- **Physical/biological/economical stochastic process** : atomic/molecular configurations fluctuations, queueing evolutions, communication network, portfolio and financial assets, ...
- **Potential function-Event restrictions** : Energy/Hamiltonian potential functions, overflows levels, critical thresholds, epidemic propagations, radiation dispersion, ruin levels.

## Objectives

Rare event probabilities & the law of the process  $\in$  critical regime

## Particle heuristic model

Default tree model = Branching particle genealogical tree model  
(**Branching on "more likely" gateways to critical regimes**)

## Event restrictions and confinements

- **Non intersecting simple random walks on  $\mathbb{Z}^d$**

$$\mathbb{P}(\forall p < q \leq n, X_p \neq X_q) = \frac{1}{(2d)^n} \times \#\{\text{not } \cap \text{ walks length } n\}$$
$$\simeq \exp(c n)$$

$$\text{Law}((X_0, \dots, X_n) \mid \forall p < q \leq n \quad X_p \neq X_q)$$

- **Confinement model/Lyap. exp. and top eigenval.**

$$\mathbb{P}(\forall 0 \leq p \leq n \quad X_p \in A) \simeq \exp(-\lambda(A) n)$$

$$\text{Law}((X_0, \dots, X_n) \mid \forall 0 \leq p \leq n \quad X_p \in A)$$

- **Tube confinement** : as above with  $(X_p \in A) \rightsquigarrow (X_p \in A_p)$

## Heuristic particle model :

$\rightsquigarrow$  Accept-Reject interacting  $X$ -motions

## Terminal levels conditioning and excursion models

### 1 Terminal level set conditioning :

$$\mathbb{P}(V_n(X_n) \geq a) \quad \& \quad \text{Law}((X_0, \dots, X_n) \mid V_n(X_n) \geq a)$$

### 2 Fixed terminal value : $\text{Law}_{\pi, K}((X_0, \dots, X_n) \mid X_n = x_n)$ .

### 3 Critical excursion behavior :

$$\mathbb{P}(X \text{ hits } B \text{ before } C) \quad \& \quad \text{Law}(X \mid X \text{ hits } B \text{ before } C)$$

## Heuristic particle models :

### 1 Interacting $X$ -transitions increasing the potential $V_n$ .

### 2 Interacting $M$ -transitions increasing the Metropolis type potential ratio $\frac{\pi(dx_2)K(x_2, dx_1)}{\pi(dx_1)M(x_1, dx_2)}$

### 3 Interacting $X$ -excursions on gateways levels $\rightsquigarrow B$ .

## A pair of target Boltzmann-Gibbs measures

- 1  $\eta_n(dx) \propto e^{-\beta_n V(x)} \lambda(dx)$  with  $\beta_n \uparrow$
- 2  $\eta_n(dx) \propto 1_{A_n}(x) \lambda(dx)$  with  $A_n \downarrow$
- 3 Normalizing constants  $\lambda(e^{-\beta_n V})$  and  $\lambda(A_n)$

## Heuristic particle models :

- 1  $e^{-(\beta_{n+1}-\beta_n)V}$ -interacting MCMC moves with local targets  $\eta_n$
- 2  $A_{n+1}$ -interacting MCMC moves with local targets  $\eta_n$
- 3 Time product of the empirical interaction potential functions.



## Previous heuristic type models

⊂ A single (sequential) Feynman-Kac/Boltzmann-Gibbs formulation:

$$d\eta_n = \frac{1}{\mathcal{Z}_n} \left\{ \prod_{0 \leq p < n} G_p(X_p) \right\} d\mathbb{P}_n^X$$

$$\stackrel{G_n=1_{A_n}}{=} \text{Law}((X_0, \dots, X_n) \mid X_0 \in A_0, \dots, X_n \in A_n)$$

$$\text{and } \mathcal{Z}_n = \mathbb{P}(X_0 \in A_0, \dots, X_n \in A_n)$$

**Note :**  $\eta_n$  = "nonlinear" transformation of the proba. meas.  $\eta_{n-1}$

$$\left\{ \prod_{0 \leq p \leq n} G_p(X_p) \right\} = \left\{ \prod_{0 \leq p \leq (n-1)} G_p(X_p) \right\} \times G_n(X_n)$$

**Same heuristic ~ multiplicative structure :**

↪ (Accept-Reject)  $G$ -interacting  $X$ -motions [and inversely!]

- 1 Introduction
- 2 Some heuristic like particle algorithms
- 3 Positive matrices and particle recipes**
  - Standard notation
  - Positive matrices and measures
  - Genetic particle models
  - Particle normalizing constants
- 4 Ancestral and Genealogical tree models
- 5 Related nonlinear Markov chains

## Standard notation :

Measures, matrices & functions  $(\mu, Q, f)$  on  $E = \{1, \dots, d\}$

$$\mu := [\mu(1), \dots, \mu(d)] \quad Q = \begin{bmatrix} Q(1,1) & Q(1,2) & \cdots & Q(1,d) \\ \vdots & \vdots & \dots & \vdots \\ Q(d,1) & Q(d,2) & \cdots & Q(d,d) \end{bmatrix} \quad f = \begin{bmatrix} f(1) \\ \vdots \\ f(d) \end{bmatrix}$$

- **Summation-Integrals**  $\mu(f) = \sum_x \mu(x) f(x)$

- **Summation-Integral operations**

$$Q(f)(x) = \sum_y Q(x,y) f(y)$$

$$[\mu Q](y) = \sum_x \mu(x) Q(x,y) \quad (\implies [\mu Q](f) = \mu[Q(f)] := \mu Qf)$$

- **Bayes-Boltzmann-Gibbs transformation** :  $G : E \rightarrow [0, \infty[$  with  $\mu(G) > 0$

$$\Psi_G(\mu)(x) = \frac{1}{\mu(G)} G(x) \mu(x)$$

## Note : abstract general models

$E$  measurable space,  $\mathcal{M}(E)$  measures on  $E$ ,  $\mathcal{B}(E)$  bounded meas. functions.

- $(\mu, f) \in \mathcal{P}(E) \times \mathcal{B}(E) \longrightarrow \mu(f) = \int \mu(dx) f(x)$
- $Q(x, dy)$  **integral operator on E**

$$Q(f)(x) = \int Q(x, dy) f(y)$$

$$[\mu Q](dy) = \int \mu(dx) Q(x, dy) \quad (\implies [\mu Q](f) = \mu[Q(f)] := \mu Qf)$$

- **Bayes-Boltzmann-Gibbs transformation** :  $G : E \rightarrow [0, \infty[$  with  $\mu(G) > 0$

$$\Psi_G(\mu)(dx) = \frac{1}{\mu(G)} G(x) \mu(dx)$$

## Positive matrices and measures ( $E$ finite, $\mathbb{N}$ time index)

- Measure  $\eta_0$  & positive matrices  $Q_n$

$$Q_n(x_0, \dots, x_n) \propto \eta_0(x_0) Q_1(x_0, x_1) Q_2(x_1, x_2) \dots Q_n(x_{n-1}, x_n)$$

- Normalizing constants

$$\mathcal{Z}_n := \sum_{x_0, \dots, x_n} \eta_0(x_0) Q_1(x_0, x_1) Q_2(x_1, x_2) \dots Q_n(x_{n-1}, x_n)$$

- Time marginals

$$\eta_n(x_n) := \sum_{x_0, \dots, x_{n-1}} Q_n(x_0, \dots, x_{n-1}, x_n) \quad \text{and} \quad \gamma_n(x_n) := \mathcal{Z}_n \times \eta_n(x_n)$$

Note :  $\gamma_n(1) = \mathcal{Z}_n$

## Path space models & Time marginal models

- Path space sequence

$$x_n := (x_{0,n}, x_{1,n}, \dots, x_{n,n}) \in E_n := E^{(n+1)}$$

- Path space matrices

$$Q_n(x_{n-1}, x_n) := 1_{x_{n-1}}(x_{0,n}, x_{1,n}, \dots, x_{n-1,n}) \times Q_n(x_{n-1}, x_n)$$

- Extended path space measures

$$Q_n^{(\text{path})}(x_0, \dots, x_n) \propto \eta_0(x_0) Q_1(x_0, x_1) Q_2(x_1, x_2) \dots Q_n(x_{n-1}, x_n)$$

- Time marginals

$$Q_n^{(\text{path})}(x_n) = Q_n(x_{0,n}, x_{1,n}, \dots, x_{n,n}) = Q_n(x_n)$$

Derivative models :  $\theta \in \mathbb{R}^d \mapsto Q_n^{(\theta)}(x, y)$

$Q_n^{(\theta)} \rightsquigarrow \mathbb{Q}_n^{(\theta)}$  and  $\mathcal{Z}_n^{(\theta)}$  with the derivatives :

$$\nabla \log \mathcal{Z}_n^{(\theta)} = \mathbb{Q}_n^{(\theta)}(\Lambda_n^{(\theta)}) \quad \text{and} \quad \nabla \log \mathbb{Q}_n^{(\theta)} = \Lambda_n^{(\theta)} - \mathbb{Q}_n^{(\theta)}(\Lambda_n^{(\theta)})$$

with the additive functional

$$\Lambda_n^{(\theta)}(x_0, \dots, x_n) := \sum_{p=0}^n \nabla \log Q_p^{(\theta)}(x_{p-1}, x_p)$$

and the convention  $Q_0(x_{-1}, x_0) = \eta_0(x_0)$ , for  $p = 0$ .

## Genetic particle models

- Key decomposition

$$Q_n(x_{n-1}, x_n) = G_{n-1}(x_{n-1}) \times M_n(x_{n-1}, x_n)$$

Markov **Mutation** transition  $M_n$  & **Selection** fitness function  $G_{n-1}$

$$M_n(x_{n-1}, x_n) := \frac{Q_n(x_{n-1}, x_n)}{\sum_{x_n} Q_n(x_{n-1}, x_n)} \quad \text{and} \quad G_{n-1}(x_{n-1}) = \sum_{x_n} Q_n(x_{n-1}, x_n)$$

- **Genetic model with  $N$  individuals=particles:**  $[\xi_0 = (\xi_0^i)_{1 \leq i \leq N}$  i.i.d.  $\sim \eta_0$ ]

$$\xi_n := (\xi_n^i)_{1 \leq i \leq N} \xrightarrow{\text{Selection}} \widehat{\xi}_n := (\widehat{\xi}_n^i)_{1 \leq i \leq N} \xrightarrow{\text{Mutation}} \xi_{n+1}$$

- Asymptotic convergence

$$\eta_n^N(x) := \frac{1}{N} \sum_{i=1}^N 1_{\xi_n^i}(x) \xrightarrow{N \rightarrow \infty} \eta_n(x)$$



## Particle normalizing constants

- Key decomposition

$$Q_n(x_0, \dots, x_n) = \frac{Z_{n-1}}{Z_n} Q_{n-1}(x_0, \dots, x_{n-1}) Q_n(x_{n-1}, x_n) \Rightarrow \eta_n = \frac{Z_{n-1}}{Z_n} \eta_{n-1} Q_n$$

- Some consequences:

$$Z_n / Z_{n-1} = \eta_{n-1} Q_n(1) = \eta_{n-1}(G_{n-1}) \quad \& \quad \gamma_n = \gamma_{n-1} Q_n$$


- Multiplicative formula & Particle approximations:

$$\begin{aligned} Z_n &= \gamma_n(1) = \gamma_{n-1}(1) \eta_{n-1} Q_n(1) = \gamma_{n-1}(1) \eta_{n-1}(G_{n-1}) \\ &= \prod_{0 \leq p < n} \eta_p(G_p) \\ &\simeq_{N \uparrow \infty} \prod_{0 \leq p < n} \eta_p^N(G_p) := Z_n^N := \gamma_n^N(1) \end{aligned}$$

- **Unbiased** particle measures :  $\gamma_n^N(1) \times \eta_n^N(x) \simeq_{N \uparrow \infty} \gamma_n(1) \times \eta_n(x)$

- 1 Introduction
- 2 Some heuristic like particle algorithms
- 3 Positive matrices and particle recipes
- 4 Ancestral and Genealogical tree models**
- 5 Related nonlinear Markov chains

# Genealogical evolution models = genetic model on path space $((N, n) = (3, 4))$



$i$ -th ancestral line :=  $(\xi_{0,n}^i, \xi_{1,n}^i, \xi_{2,n}^i, \dots, \xi_{n-1,n}^i, \xi_{n,n}^i)$  ( $= (i = 3)$ )

## Complete ancestral tree model

$$\Xi_n := (\xi_0, \dots, \xi_n) \in \prod_{p=0}^n E_p^N$$

Occupation measure convergence  $\frac{1}{N} \sum_{i=1}^N \mathbf{1}_{(\xi_{0,n}^i, \xi_{1,n}^i, \dots, \xi_{n,n}^i)} \xrightarrow{N \rightarrow \infty} \mathbb{Q}_n$

## Genealogical evolution models & Unnormalized measures

- Path space models

$$\xi_n^i := (\xi_{0,n}^i, \xi_{1,n}^i, \dots, \xi_{n,n}^i) \quad \& \quad x_n := (x_{0,n}, x_{1,n}, \dots, x_{n,n}) \in E_n := E^{(n+1)}$$

$$\eta_n^N = \frac{1}{N} \sum_{i=1}^N 1_{\xi_n^i} = \frac{1}{N} \sum_{i=1}^N 1_{(\xi_{0,n}^i, \xi_{1,n}^i, \dots, \xi_{n,n}^i)}$$

- Unbiased estimates

$$\bar{Z}_n^N := Z_n^N / \mathcal{Z}_n \Rightarrow \mathbb{E} \left( \eta_n^N(f) \bar{Z}_n^N \right) = \mathbb{E} \left( f(\xi_n^i) \bar{Z}_n^N \right) = \mathbb{Q}_n(f)$$

- Probability measure on the whole system  $\Xi_n := (\xi_0, \dots, \xi_n) \in \prod_{p=0}^n E_p^N$

$$\mathbb{T}_n^N(F_n) := \mathbb{E} \left( F_n(\Xi_n) \bar{Z}_n^N \right) \rightsquigarrow \xi_n^i - \text{marginals} = \mathbb{Q}_n$$

- 1 Introduction
- 2 Some heuristic like particle algorithms
- 3 Positive matrices and particle recipes
- 4 Ancestral and Genealogical tree models
- 5 Related nonlinear Markov chains**
  - McKean measures
  - Backward Markov chain interpretation

## Complete ancestral tree models

Occupation measures = McKean measures

$$\frac{1}{N} \sum_{i=1}^N \mathbf{1}_{(\xi_0^i, \xi_1^i, \dots, \xi_n^i)}(x_0, \dots, x_n)$$

$$\longrightarrow_{N \rightarrow \infty} \eta_0(x_0) \times K_{1, \eta_0}(x_0, x_1) \times K_{2, \eta_1}(x_1, x_2) \times \dots \times K_{n, \eta_{n-1}}(x_{n-1}, x_n)$$

*with the stochastic matrices associated with a Markov chain*

$$K_{n, \eta_{n-1}}(x, y)$$

$$= G_{n-1}(x) M_n(x, y) + (1 - G_{n-1}(x)) \sum_z \frac{\eta_{n-1}(z) G_{n-1}(z)}{\eta_{n-1}(G_{n-1})} M_n(z, y)$$

## Two key observations

- 1 The selection-mutation Markov transition  $\xi_{n-1} \rightsquigarrow \xi_n$

$$\text{Proba}(\xi_n = (x^1, \dots, x^N) \mid \xi_{n-1}) := \prod_{1 \leq i \leq N} K_{n, \eta_{n-1}^N}(\xi_{n-1}^i, x^i)$$

- 2 Nonlinear Markov chain model

$$\eta_n = \eta_{n-1} K_{n, \eta_{n-1}} = \text{Law}(\bar{X}_n) \quad \text{with} \quad \bar{X}_n \text{ Nonlinear Markov chain}$$

## Backward Markov chain interpretation

$$\eta_n = \frac{Z_{n-1}}{Z_n} \eta_{n-1} Q_n$$

↓

$$\frac{\eta_{n-1} Q_n(x_n)}{\eta_n(x_n)} \times \frac{\eta_{n-2} Q_{n-1}(x_{n-1})}{\eta_{n-1}(x_{n-1})} \times \dots \times \frac{\eta_0 Q_1(x_1)}{\eta_1(x_1)} = \frac{Z_n}{Z_{n-1}} \times \frac{Z_{n-1}}{Z_{n-2}} \times \dots \times \frac{Z_1}{Z_0} = Z_n$$

↓

$$Q_n(x_0, \dots, x_n)$$

$$= \eta_n(x_n) \times \frac{\eta_{n-1}(x_{n-1}) Q_n(x_{n-1}, x_n)}{\eta_{n-1} Q_n(x_n)} \dots \frac{\eta_1(x_1) Q_2(x_1, x_2)}{\eta_1 Q_2(x_2)} \times \frac{\eta_0(x_0) Q_1(x_0, x_1)}{\eta_0 Q_1(x_1)}$$

$$:= \eta_n(x_n) \times Q_{n, \eta_{n-1}}^*(x_n, x_{n-1}) \dots Q_{2, \eta_1}^*(x_2, x_1) \times Q_{1, \eta_0}^*(x_1, x_0)$$

**with the time reversal Markov transitions**

$$Q_{n, \eta_{n-1}}^*(x_n, x_{n-1}) = \frac{\eta_{n-1}(x_{n-1}) Q_n(x_{n-1}, x_n)}{\eta_{n-1} Q_n(x_n)}$$



## Particle backward Markov chain model

$$\begin{aligned} Q_n^N(x_0, \dots, x_n) &= \eta_n^N(x_n) \times Q_{n, \eta_{n-1}^N}^*(x_n, x_{n-1}) \times \dots \times Q_{1, \eta_0^N}^*(x_1, x_0) \\ &\simeq_{N \uparrow \infty} Q_n(x_0, \dots, x_n) \end{aligned}$$

with the random matrices

$$Q_{n, \eta_{n-1}^N}^*(x_n, x_{n-1}) = \frac{\eta_{n-1}^N(x_{n-1}) Q_n(x_{n-1}, x_n)}{\eta_{n-1}^N Q_n(x_n)}$$

Note

$$Q_{n, \eta_{n-1}^N}^*(x_n, x_{n-1}) = \sum_{i=1}^N \frac{Q_n(\xi_{n-1}^i, x_n)}{\sum_{k=1}^N Q_n(\xi_{n-1}^k, x_n)} \mathbf{1}_{\xi_{n-1}^i}(x_{n-1})$$

## Particle backward Markov chain model & Unbiased properties

- Particle backward Markov chain

$$\zeta_n := (\zeta_{n,n}, \zeta_{n-1,n}, \dots, \zeta_{1,n}, \zeta_{0,n})$$

- Unbiased properties:

$$\bar{\mathcal{Z}}_n^N := \mathcal{Z}_n^N / \mathcal{Z}_n \Rightarrow \mathbb{E} \left( \bar{\mathcal{Z}}_n^N \mathbb{Q}_n^N(f_n) \right) = \mathbb{E} \left( \bar{\mathcal{Z}}_n^N f_n(\zeta_n) \right) = \mathbb{Q}_n(f_n)$$

- Probability measures on the whole system  $\Xi_n := (\xi_0, \dots, \xi_n) \in \prod_{p=0}^n E_p^N$

$$\mathbb{A}_n^N(F_n) := \mathbb{E} \left( F_n(\Xi_n, \zeta_n) \bar{\mathcal{Z}}_n^N \right) \rightsquigarrow \zeta_n - \text{marginals} = \mathbb{Q}_n$$